Dart Aerospace Ltd. Monday, 08/09/2008 2:50:56 PM Julie Lecocq **Process Sheet** : STRUT Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** Job Number : 41895 **Estimate Number** : 10282 : D2565107 P.O. Number Part Number : 08/09/2008 S.O. No. : D2565 REV E This Issue **Drawing Number** : NC : N/A Prsht Rev. **Project Number** : // First Issue Type : SMALL /MED FAB : E **Drawing Revision** : 40847 **Previous Run** Material 12 Um: : 15/09/2008 **Due Date** Qty: Written By Checked & Approved By Comment : Est:F 02.04.16 Added dwg Rev.C1 NG **Additional Product** Job Number: Seq. #: **Machine Or Operation:** Description: 1.0 M304TR0750W049 304 RD Tube .750 x .049W Comment: Qty.: 1.1751 f(s)/Unit Total: 14.1007 f(s) Material: 304/316 SS tubing 0.750" Dia. x 0.049" wall Batch No: F (M304TR0750W049) BRAKE NC 2.0 NC BRAKE Comment: BRAKE NC Punch as per Dwg D2565 using DT 8313 3.0 SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 Deburr 4.0 QC5 Comment: INSPECT WORK TO CURRENT STEP POWDER COATING POWDER COATING 5.0

M 10 9152

POWDER COATING

Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.2) as per QSI 005 4.3

START TIME: OVEN TEMPERATURE: FINISH TIME: 00 F

M-/ 08/10/(2x)

Each

Dart Aerospace Ltd

W/O:	-		W	ORK ORDER CHANG	ES				
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			•	,					
4.00									
		·							
Part No	•	PAR #:	Fault Cate	gory:	_ NCR: Yes	No DQA		Date:	
	R	esolution:	Disposition	on:	_ QA: N/C C	losed:		Date: _	
NCR:			WORK ORD	ER NON-CONFORMA	ANCE (NC	₹)			
DATE	STEP	Description of NC Section A	Initial	Corrective Action Section Action Description	ion B Sign	Verifica Section		Approval Chief Eng	Approval QC Inspector
		Jection A	Chief Eng	Chief Eng	Date	Geetio		Office Ling	QO IIIOPOOLOI
			1 I		i i			i	

NOTE: Date & initial all entries

Date: Monday, 08/09/2008 2:50:56 PM User: , Julie Lecocq **Process Sheet Drawing Name: STRUT** Customer: CU-DAR001 Dart Helicopters Services Job Number: 41895 Part Number: D2565107 Job Number: Seq. #: **Machine Or Operation:** Description: INSPECT POWDER COAT/CHEMICAL CONVERSION 6.0 QC3 Comment: INSPECT POWDER COAT 7.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 8.0 QC21 FINAL INSPECTION/W/O RELEASE Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart Aerospace Ltd

	-									
W/O:	*		· WC	RK ORDER CHANG	ES				- , , , , , , , , , , , , , , , , , , ,	
DATE	STEP	PRO	OCEDURE CHA	NGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
							-		÷	
			A A A A A A A A A A A A A A A A A A A							
	i i									
Part No	•	PAR #:	Fault Cate	gory:	NCR	l: Yes I	No DQA	۸:	Date: _	
	R	esolution:	Disposition	n:	QA:	N/C Clo	sed:		Date: _	
NCR:	*		WORK ORD	ER NON-CONFORM	ANCE	(NCR)		·		
DATE	STEP	Description of NC			tion B	O: 9	Verific		Approval	Approval
DAIL	SILI	Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Date	Section	on C	Chief Eng	QC Inspector
							÷			
								3		
s er≢										


NOTE: Date & initial all entries





DESIGN DRAWN BY		W	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA				
CHECI	ED H	APPROVED	D2565 SHEET 1 0	/. E)F 1			
DATE			TITLE SC	ALE			
04.0	5.05		STRUT	1:3			
Α		96.05.03	NEW ISSUE				
В		97.03.15	CORRECT D2565-111 DIM. A				
С		98.10.05	UPDATED MATERIAL NOTE (TSR A603)				
D		02.06.05	ADD -3XX PARTS; ADD FINISH				
Ε		04.05.05	ADD D2565-401-411; RMV ANGLE D				





PART #	Α	В	DIA C
D2565-101	20.52	19.72	0.316
D2565-103	18.21	17.41	0.316
D2565-105	20.19	19.39	0.316
D2565-107	13.43	12.63	
D2565-109	12.31	11.51	
D2565-111	13.65	12.85	
D2565-201		22.00	
D2565-203	20.75	19.95	0.316
D2565-205	21.22	20.42	0.316
D2565-207	16.07	15.27	300.0
D2565-209	15.16	14.36	
D2565-211	14.14	13.34	
D2565-301	27.03	26.23	0.316
D2565-303	25.34	24.54	0.316
D2565-305	23.73	22.93	0.316
D2565-307	20.86		
D2565-309		19.37	
D2565-311	16.30	15.50	- 11
D2565-401	18.29	17.49	0.316
D2565-403	15.64	14.84	0.316
D2565-405	19.45	18.65	0.316
D2565-407	10.79	9.99	_
D2565-409	9.34	8.54	
D2565-411	13.81	13.01	_

SHOP COPY

RETURN TO

ENGINEERING

UNCONTROLLED COPY SUBJECT TO AMENDMENT

WITHOUT NOTICE

ENSURE SEAMLESS TUBE IS USED 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3

(REF DART SPEC. M304TR0.750W0.049)

3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED

1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL

4) ALL DIMENSIONS ARE IN INCHES

GENERAL NOTES

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.